



**ADVANCED**  
**General Certificate of Education**  
**2022 Reserve Series**

---

## **Physics**

**Assessment Unit A2 1**

*assessing*

**Deformation of Solids, Thermal Physics, Circular Motion,  
Oscillations and Atomic and Nuclear Physics**

**[APH11]**

**FRIDAY 24 JUNE, AFTERNOON**

---

## **MARK SCHEME**

## **Physics Subject Specific Instructions**

It is essential that, before using the mark scheme, markers familiarise themselves with the following guidance.

### **General**

To ensure that all candidates receive the same treatment, the mark scheme must be applied consistently.

The mark scheme for each question shows typical intermediate steps, the answer expected and the marks available for each part of the question.

In cases where a candidate has responded with a seemingly correct response which has not been anticipated in the mark scheme, the marker must make a professional judgement of the correct physics/validity of the response when awarding marks.

Brackets (...) are used to indicate information which is not essential for the mark to be awarded. Alternative answers are indicated by 'or', or the symbol for or, '/'.

### **Multiple/Cancelled Responses**

If a candidate provides multiple responses, the general principle to be followed is that 'right + wrong = wrong'.

Responses considered to be neutral are not penalised. For example, if additional irrelevant information is given in an explanation that does not contradict the correct information given, the mark(s) can be awarded.

In a numerical problem if two different solutions are presented without a definitive answer on the answer line, credit should not be given. If an answer is given on the answer line, then the solution that has led to the answer given should be marked according to the mark scheme.

If a candidate clearly cancels their working by scoring it out, then this should not be marked. It is not the role of the marker to select from the candidate's response what should or should not be marked.

## **Marking Numerical Problems**

In numerical problems, the marks for the intermediate steps shown in the mark scheme are for the benefit of candidates who do not obtain the final correct answer.

A correct answer, if obtained from a valid starting point, gets full credit, even if all the intermediate steps are not shown.

This “correct answer” rule does not apply in situations where candidates have been asked to ‘show your working’ or ‘show that’. These answers must be valid in all stages to obtain full credit.

The answer to a ‘show that’ question should be quoted to one more significant figure than that given in the question.

Do not reward wrong physics. No credit is given for consistent substitution of numerical data, or subsequent arithmetic, in a physically incorrect equation.

The normal penalty for an arithmetical error is to lose the mark(s) for the answer/unit line. An arithmetic error should be penalised for one mark only. Arithmetic errors may arise from a slip in a calculation or from an incorrect transfer of a numerical value of a quantity given in a question.

$10^n$  errors count as arithmetical slips and incur a penalty of one mark.

If a candidate rounds a value incorrectly this should be penalised one mark. However, care must be taken not to penalise a candidate for rounding correctly in parts leading up to their final answer in an unstructured numerical problem.

Answers should be given in decimal form. Fractional answers will not be credited with the answer mark.

## **Error Carried Forward**

An ECF can occur between parts of a question or, in more unstructured numerical problems, within a part.

When an incorrect answer is carried forward from one question to the next, full credit should be awarded in the part where the incorrect answer is used, provided all the working is correct.

Within a part, ECF is applied where a candidate does an incorrect calculation, for example calculates a value for R incorrectly using V/I and then goes on to use their calculated value for R to calculate a resistivity value. The penalty is applied in the V/I calculation but then the value of R can be carried forward so that the remainder of the marks are available to the candidate provided all the remainder of their working is correct.

The ECF within a part will only apply in numerical problems where more than one calculation is required in a part.

## **Significant Figures**

Candidates should show an awareness of using a sensible number of significant figures in their answers, based on the values given in the question. In SPH11, SPH21, APH11 and APH21, unless specifically asked for in the question, candidates will not be penalised for incorrect significant figures.

In SPH31, SPH32, APH31 and APH32, all answers should be given to a suitable number of significant figures and penalties will be applied in these papers unless otherwise stated in the mark schemes.

## **Units**

In the majority of questions, the unit will be stated on the answer line.

When the unit is omitted, candidates will be clearly asked to state an appropriate unit and this will be credited in the mark scheme.

Where there is a final calculation required to get from the unit of the answer calculated to the unit on the answer line the required unit will be stated in the question. For example, if wavelength was calculated and the answer line was in nm a statement ‘Give your answer in nanometres’ would be included.

The unit on the answer line will generally be the SI unit but may in some cases be a more appropriate unit. For example, if values of mass in g and momentum in  $\text{g cm s}^{-1}$  were given, the unit on the answer line for speed could reasonably be  $\text{cm s}^{-1}$  without prompt.

## **COVID-19 Context**

Given the unprecedented circumstances presented by the COVID-19 public health crisis, senior examiners, under the instruction of CCEA awarding organisation, are required to train assistant examiners to apply the mark scheme in case of disrupted learning and lost teaching time. The interpretation and intended application of the mark scheme for this examination series will be communicated through the standardising meeting by the Chief or Principal Examiner and will be monitored through the supervision period. This paragraph will apply to examination series in 2021–2022 only.

			AVAILABLE MARKS
1	(a) (i) Extension proportional to load Provided limit of proportionality not exceeded	[1] [1]	[2]
	(ii) Subs into $F = kx$	[1]	
	$k = 7727 \text{ N cm}^{-1}$	[1]	
	$F_2 = 625 \text{ N}$	[1]	
	$(k_2 = 6944 \text{ N})$ conclusion that $k$ not constant	[1]	[4]
	(iii) Below 8% strain, tendon returns to its original length when load is removed After 8% strain tendon is permanently deformed or equivalent	[1] [1]	[2]
	(b) (i) Higher Young modulus – stiffer/less deformation for same force	[1]	
	(ii) $F/A$ and $\Delta l/l$ $E = \text{stress}/\text{strain}$ ( $E = Fl/A\Delta l$ gets first two marks)	[1] [1]	
	$\Delta l = 0.018$	[1]	
	$A = 4.52 \times 10^{-4} \text{ m}^2$	[1]	
	Correct G conversion	[1]	
	$F = 3.3 \times 10^5 \text{ N}$ with correct conclusion	[1]	[6]
			15
2	(a) $v = rw$ and $T = 2\pi/\omega$ or $T = 2\pi r/v$ Subs 1450 s 24 minutes	[1] [1] [1] [1]	[4]
	(b) (i) $a = v^2/r$ or $\omega^2 r$ subs $1.13 \times 10^{-3} \text{ m s}^{-2}$	[1] [1] [1]	[3]
	(ii) $m = 2050 \text{ kg}$ $F = ma$ $F = 2.32 \text{ N}$	[1] [1] [1]	[3]
			10
3	(a) Heat lost by shoe = heat gained by water + bucket Mass of water = 2.5 kg $\Delta\theta$ water/bucket = 12°C $0.42(510.8)(\theta - 27) = 2.5(4186)(12) + 0.18(1550)(12)$ 628°C	[1] [1] [1] [1] [1]	[5]
	(b) (i) V and R constant Pressure decreases Number of molecules/moles decreases $pV = nRT$	[1] [1] [1] [1]	[4]

				AVAILABLE MARKS
	(ii) 288 K Subs $n = 598$ New $n = 523$ New $p = 1.9 \text{ MPa}$	[1] [1] [1] [1] [1]	[5]	
	(iii) Subs into $3/2kT$ $\text{Ke of 1 molecule} = 5.96 \times 10^{-21} \text{ J}$ Number of molecules = $523 \times N_A$ $1.87 \times 10^6 \text{ J}$ (or by use of $pV = \frac{1}{3} Nm <c^2>$ )	[1] [1] [1] [1]	[4]	18
4	(a) $p$ proportional to $1/V$ Constant $m$ and $T$	[1] [1]	[2]	
	(b) (i) Trapped gas Method of measuring $I$ or $V$ Method of measuring $p$	[1] [1] [1]	[3]	
	(ii) Adjust $p$ measure $V$ At least 5 sets Slowly to keep $T$ constant	[1] [1] [1]	[3]	
	(iii) $p$ and $1/V$ on axes Straight line through origin	[1] [1]	[2]	10
5	(a) Acceleration proportional to displacement from fixed point Acceleration towards fixed point or equivalent	[1] [1]	[2]	
	(b) (i) $a = -\omega^2 x$ $\omega = 2\pi f$ $\omega = 31.4$ $x = 3 \text{ mm}$ mm to m conversion $a = 2.96 \text{ m s}^{-2}$	[1] [1] [1] [1] [1] [1]	[6]	
	(ii) $A = 9 \text{ mm}$ , $x = 3 \text{ mm}$ Subs into $x = A \cos \omega t$ $t_1 = 0.039 \text{ s}$ $T = 0.2 \text{ s}$ Time under cloth = 0.12 s	[1] [1] [1] [1] [1]	[5]	13
6	(a) Maximum amplitude of vibration Driving frequency = natural frequency	[1] [1]	[2]	
	(b) Any example of useful resonance, e.g. microwave, pushing a child on swing Any example of unwanted resonance, e.g. Vibration of bridge in wind	[1] [1]	[2]	
	(c) Loss of energy from system Reduces amplitude Lowers resonant frequency	[1] [1] [1]	[3]	7

		AVAILABLE MARKS
7	(a) (i) ${}_{27}^{60}\text{Co} \rightarrow {}_{-1}^0\beta + {}_{28}^{60}\text{Ni}$ (+ $2\gamma$ ) beta correct [1], Ni correct A [1], correct Z [1]	[3]
	(ii) 2.50 MeV [1]	
	$4.00 \times 10^{-13}\text{ J}$ [1]	
	$4.44 \times 10^{-30}\text{ kg}$ [1]	
	$2.68 \times 10^{-3}\text{ u}$ [1]	
	59.92791 u (59.93059 using 931) to 5 d.p. [1]	[6]
	(b) (i) One decay per second [1]	
	(ii) $\lambda = 0.131\text{ year}^{-1}$ [1]	
	Subs [1]	
	2.57 years [1]	[3]
	(c) (i) 1073 MeV [1]	
	(ii) 6.03 $\times 10^{-15}$ [1]	[2]
	(iii) $V = 9.18 \times 10^{-43}\text{ m}^3$ [1]	
	$D = m/v$ used [1]	
	$1.38 \times 10^{44}$ [1]	[3]
		19

- 8 Fuel correct  
 Absorption of neutron  
 Breaking into smaller nuclei  
 Moderator function  
 Control rods function  
 shielding  
 Coolant  
 steam – turbine  
 generator  
 Credit alternative, valid responses

Response Marks	
Candidates identify clearly 7 or 8 of the main issues above. There is widespread and accurate use of appropriate scientific terminology. Presentation, spelling, punctuation and grammar are excellent. They use the most appropriate form and style of writing. Relevant material is organised with clarity and coherence.	[7]–[8]
Candidates identify clearly 4, 5 or 6 of the main issues above. Presentation, spelling, punctuation and grammar are sufficiently competent to make meaning clear. They use an appropriate form and style of writing. There is good reference to scientific terminology.	[4]–[6]
Candidates identify clearly 1–3 of the main issues above. There may be some errors in their spelling, punctuation and grammar, but form and style are of a satisfactory standard. They have made limited reference to specialist terms.	[1]–[3]

Response is not worthy of credit. [0]

**Total** **100**