Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	
		/

GCSE PHYSICS

Foundation Tier Paper 1

Thursday 25 May 2023

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).


Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- In all calculations, show clearly how you work out your answer.


Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.











01.3 How will **increasing** the resistance of the variable resistor in **Figure 1** affect each of the following quantities?

Do not write outside the

box

Tick (\checkmark) one box in each row.

Quantity	Decreases	Stays the same	Increases
Current in the circuit			
Potential difference across the lamp			
Total resistance of the circuit			

0 1 . 4 A charge flow of 15 coulombs passed through the filament lamp in a time of 60 seconds.

Calculate the current in the lamp.

Use the equation:

current = $\frac{\text{charge flow}}{\text{time}}$

А


Current =

Question 1 continues on the next page




0 1.5	When the current in the filament lamp is 0.12 A, the potential difference ac lamp is 6.0 V.	cross the	Do not v outside box
	Calculate the resistance of the filament lamp.		
	Use the equation:		
	resistance = potential difference		
	current	[2 marks]	
	Resistance =	Ω	
















Do not write outside the In an experiment that led to the nuclear model of the atom, alpha particles were box directed at a sheet of gold foil. Figure 3 shows the path of three alpha particles passing close to a gold nucleus. Figure 3 Gold nucleus Alpha particles A •— B• C• 0 2 2 An alpha particle has a radius of 1.7 femtometres. The radius of a gold nucleus is 4.2 times larger than the radius of an alpha particle. Calculate the radius of a gold nucleus in femtometres. [2 marks] Radius of a gold nucleus = femtometres



02.3	Alpha particles are deflected by the gold nucleus.	Do not write outside the box
	What are the charges on an alpha particle and a gold nucleus? [1 mark] Tick (✓) one box.	
	An alpha particle and a gold nucleus are both neutral.	
	An alpha particle and a gold nucleus are both positively charged.	
	An alpha particle is positively charged and a gold nucleus is neutral.	
0 2 . 4	Which statement describes the force between the alpha particle and the gold nucleus? [1 mark]	
	Tick (✓) one box.	
	A contact force	
	A force of attraction	
	A force of repulsion	
	There is no force	
02.5	Which alpha particle in Figure 3 experiences the largest force from the gold nucleus? [1 mark]	
	Tick (✓) one box. A B C	






	Table 1 lists different models of the atom in alphabetica	l order.	Do not write outside the box
	Table 1		
	Model]	
	Bohr		
	Nuclear		
	Plum pudding		
	Tiny spheres that cannot be divided		
02.6	Which model in Table 1 was developed first?	[1 mark]	
02.7	Which model in Table 1 was developed last?	[1 mark]	8



0 3	Some isotopes emit nuclear radiation.	Do not write outside the box
03.1	Carbon-12 and carbon-14 are both isotopes of carbon. Complete the sentences. Choose answers from the box. [2 marks] alpha particles electrons neutrons protons The nucleus of a carbon-12 atom and the nucleus of a carbon-14 atom have the same number of The nucleus of a carbon-12 atom and the nucleus of a carbon-14 atom have a different number of	
03.2	Different radioactive isotopes have different half-lives. What does 'half-life' mean? Tick (✓) one box. [1 mark] Half the time taken for all of the nuclei in a sample to decay. The time taken for half the nuclei in a sample to decay. The time taken for one nucleus to split in half.	
	Question 3 continues on the next page	






Isotope	Half-life in seconds
Carbon-15	2.45
Carbon-16	0.75
Carbon-17	0.19
Carbon-18	0.09

Which isotope is the least stable?


Tick (✓) one box.





[1 mark]

Do not write outside the box







Do not write outside the 0 3 5 Why are workers required to walk across a sticky floor before leaving the nuclear power station? [1 mark] Tick (✓) one box. To remove alpha particles from their shoes. To remove gamma radiation from their shoes. To remove radioactive dust from their shoes. 0 3. 6 The places where people work and live contribute to the nuclear radiation they are exposed to. Table 3 shows the mean daily dose of radiation caused by two different jobs. Table 3 Job Mean daily dose in mSv Aeroplane pilot 0.072 Nuclear power station worker 0.00050 Calculate the number of days a nuclear power station worker must work before receiving the same dose that an aeroplane pilot receives in one day. [2 marks] Number of days = ____



box










	A remote village in the UK uses a hydroelectric generator to provide electricity.	Do not write outside the box
04.2	The mass of water that passes through the hydroelectric generator each day is 2 500 000 kg.	
	The change in vertical height of the water is 15.0 m.	
	gravitational field strength = 9.8 N/kg	
	Calculate the decrease in gravitational potential energy of the water.	
	Use the equation:	
	gravitational potential energy = mass × gravitational field strength × height [2 marks]	
	Decrease in gravitational potential energy =J	
	Question 4 continues on the next page	




	Use the Physics Equations Sheet to answer questions 04.3 and 04.4 .
04.3	Write down the equation which links energy (<i>E</i>), power (<i>P</i>) and time (<i>t</i>). [1 mark]
04.4	The hydroelectric generator transfers electrical power of 3000 W to the village. Calculate the energy transferred to the village in 60 minutes. [3 marks]
	Energy transferred = J




Do not write outside the box











Question 5 continues on the next page



The student recorded how much the temperature of the water in each bottle changed in five minutes.

3 What equipment could the student use to measure time?

[1 mark]

Do not write outside the

box

0 5.4


0 5.

 Table 4 shows the results.

Table 4


Bottle	Insulation	Start temperature in °C	Final temperature in °C	Temperature change in °C
Α	None	80	60	20
В	1 layer of paper	85	70	15
С	2 layers of card	90	75	15
D	3 layers of bubble wrap	80	70	10







Turn over ►





0 6	Figure 8 shows a student before	and during a l	oungee jump.			Do not write outside the box
	The diagram is not to scale.					
Figure 8						
	Before the jum	p	During the	e jump		
	Bridge Bungee c	=				
	River			osition B		
0 6.1	In position B , the student is movi is stretching.	ng towards the	e river and the	bungee cord		
	How do the energy stores in pos Tick (✓) one box in each row.	ition B compar	e with the ener	rgy stores in po	osition A ? [3 marks]	
	Energy store	Less than at A	The same as at A	More than at A		
	The student's gravitational potential energy					
	The student's kinetic energy					
	The bungee cord's elastic potential energy					



Turn over ►


06.2	The bungee cord behaves like a spring with a spring constant of 78.4 N/m. At one point in the bungee jump, the extension of the bungee cord is 25 m. Calculate the elastic potential energy stored by the bungee cord. Use the equation: elastic potential energy = 0.5 × spring constant × extension ²	[2 marks]	Do not write outside the box
	Elastic potential energy =	J	



	Table 5 shows info	mation about different	bungee cords.		Do not write outside the box
		Table 5			
	Bungee cord	Spring constant in N/m	Maximum extension before snapping in metres		
	Α	78.4	36		
	В	82.0	24		
	С	84.5	12		
06.3	Give the reason wh	y. would be safest to us	ion than A or B for any bung	[1 mark]	
				[2 marks]	
	Bungee cord				
	Reason				
					8



27





07.2	Complete the sentence.			Do not write outside the box
	Choose the answer from th	e box.	[1 mark	(]
	a constant speed	a constant velocity	a range of speeds	
	Particles in a gas move wit	h		
	Question 7	continues on the next page		
2 9			Turn over	
1			IB/M/Jun23/8463	/1F

0 7. **3 Table 6** shows some of the results.


Т	ab	le	6

Pressure in kPa	Volume in cm ³
300	10
200	15
150	20
120	25
100	30

Complete Figure 10. The first point has been plotted for you.

You should:

- plot the points from Table 6
- draw the line of best fit.






[3 marks]

0 7.4	The relationship between the pre the equation:	essure and the	volume of a ga	as is given by		Do not write outside the box
	pressur	e × volume = c	onstant			
	Calculate the constant when the	pressure of the	e gas was 300	kPa.		
	Use Table 6.				[2 marks]	
			Constant =		kPa cm³	
07.5	When the volume of the gas incr The temperature of the gas stays How does increasing the volume	s the same.				
	Tick (✓) one box in each row.				[3 marks]	
	Quantity	Decreases	Stays the same	Increases		
	Mean time between collisions of the particles with the tube					
	Mean distance between the particles					
	Mean speed of the particles					10




Turn over ►






0 8.3	A transmission cable has a power loss of 1.60×10^9 W.	Do not write outside the box
	The current in the cable is 2000 A.	
	Calculate the resistance of the cable. [3 marks]	
	Resistance =Ω	
	Use the Physics Equations Sheet to answer questions 08.4 and 08.5 .	
08.4	Write down the equation which links efficiency, total energy input and useful energy output. [1 mark]	
0 8.5	The total energy input to the National Grid from one power station is 34.2 GJ. The National Grid has an efficiency of 0.992	
	Calculate the useful energy output from this power station to consumers in GJ. [3 marks]	
	Useful energy output = GJ	10












09.3	The student repeated the investigation but wrapped insulation around the iron block.	Do not write outside the box
	What effect will adding insulation have had on the investigation? [2 marks	1
	Tick (✓) two boxes.	-
	The calculated specific heat capacity will be more accurate.	
	The iron block will transfer thermal energy to the surroundings at a lower rate.	
	The power output of the heater will be lower than expected.	
	The temperature of the iron block will increase more slowly than expected.	
	The uncertainty in the temperature measurement will be greater.	7








10.3	Calculate the charge flow through the 12 V battery when the battery transfers 5010 J of energy. [3 marks]	Do not write outside the box
	Charge flow = C	
10.4	Ice forms on the windscreen at a temperature of 0 °C. The electrical circuit transfers 5010 J of energy to the ice. A mass of 0.015 kg of ice melts. Calculate the specific latent heat of fusion of water. Use the Physics Equations Sheet.	
	[3 marks]	



10.5	The electrical circuit was left switched on while the ice changed from a solid to a liquid and increased in temperature to 5 $^{\circ}$ C.	Do not write outside the box
	Explain the changes in the arrangement and movement of the particles as the ice melted and the temperature increased to 5 °C.	
	[6 marks]	
		14
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.




Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.



