



Rewarding Learning

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

General Certificate of Secondary Education
2024

GCSE Chemistry

Unit 1

Higher Tier



[GCM12]

GCM12

WEDNESDAY 22 MAY, MORNING

TIME

1 hour 15 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

You must answer the questions in the spaces provided.

Do not write outside the boxed area on each page or on blank pages.

Complete in black ink only. Do not write with a gel pen.

Answer all five questions.

INFORMATION FOR CANDIDATES

The total mark for this paper is 80.

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

Quality of written communication will be assessed in Question 4(c).

A Data Leaflet, which includes a Periodic Table of the Elements, is included in this question paper.

13959



20GCM1201

1 The positions of some elements in the Periodic Table are shown below.

- (a) Select the correct **symbol** from the Periodic Table above to answer the following questions.

- (i) Which element has five electrons in the outer shell of its atom?

[1]

- (ii) Which element has three shells containing electrons in its atom?

[1]

- (iii) Which element forms an ion with a charge of 2-?

[1]

- (iv) Which element is a transition metal?

[1]

- (v) Which element forms an ion with the same electronic configuration as argon?

[1]



(b) Group 1 of the Periodic Table contains reactive elements. They show similar chemical properties and there is a trend in reactivity down the group.

(i) How are the Group 1 elements stored in the laboratory?

[1]

(ii) State the name by which the Group 1 elements are known.

[1]

(iii) Explain why the Group 1 elements show similar chemical properties.

[1]

(iv) State and explain the trend in reactivity down Group 1.

Trend: _____

Explanation: _____

[3]

[Turn over



(c) Group 1 elements react vigorously with cold water.

- (i) State two observations which are made when a piece of potassium reacts with cold water but are not made when a piece of lithium reacts with cold water.

1. _____

2. _____ [2]

- (ii) Write a half equation for the formation of a potassium ion from a potassium atom.

_____ [2]



BLANK PAGE

DO NOT WRITE ON THIS PAGE

(Questions continue overleaf)

[Turn over

13959



20GCM1205

2 Magnesium chloride and hydrogen chloride are compounds of chlorine.

- (a) (i)** Draw a dot and cross diagram to show how magnesium chloride forms from atoms of magnesium and chlorine.

[6]

- (ii)** State two physical properties of magnesium chloride.

1. _____
2. _____

[2]



- (b) (i) Draw a dot and cross diagram to show the bonding in a molecule of hydrogen chloride. Label a lone pair of electrons in the diagram.

[2]

- (ii) Write a balanced symbol equation for the formation of hydrogen chloride from hydrogen and chlorine.

[3]

- (c) Complete the table below to give the name of bonding and type of structure which are found in magnesium chloride and in hydrogen chloride.

Compound	Bonding	Structure
magnesium chloride		
hydrogen chloride		

[4]

[Turn over



BLANK PAGE

DO NOT WRITE ON THIS PAGE

13959



20GCM1208

3 Acidic, neutral and alkaline solutions may be classified using indicators.

(a) Complete the table below.

Solution	pH	Indicator	Colour of indicator
sodium hydroxide	12	phenolphthalein	
hydrochloric acid		universal indicator	

[3]

(b) Sulfuric acid is a strong acid that ionises completely in water.

(i) Write an ionic equation to show the complete ionisation of sulfuric acid.

_____ [3]


(ii) State how the pH of a sulfuric acid solution changes as the concentration of hydrogen ions increases.

_____ [1]

[Turn over



(c) The diagram below shows three reactions used to prepare soluble salts.



(i) What is meant by the term salt?

[2]

(ii) Write the formula of salt A produced in Reaction 1.

[1]

(iii) Identify gas B produced in Reaction 1 and describe a test used to confirm the identity of this gas.

Gas B: _____

Test: _____

[2]



(iv) Write the formula of the black solid C used in Reaction 2.

[1]

(v) Explain why an excess of black solid C is used in Reaction 2.

[1]

(vi) Write a balanced symbol equation for Reaction 3.

[3]


[Turn over



- 4 The oceans and seas are valuable sources of many chemical compounds which are dissolved in the water. The table below gives solubility values of a solid obtained from sea water.

Temperature /°C	0	20	40	60	80	100
Solubility of solid /g/100 g water	80	87	100	120	145	178

(a) Plot a solubility curve for the solid on the axes below using the data in the table.



[3]

13959



(b) Use the solubility data and the graph you have drawn in **(a)** to answer the following questions.

(i) What is the solubility of the solid at 90 °C?

_____ g/100 g water [1]

(ii) 28 g of the solid are mixed with 25 g of water at 60 °C. Explain whether the solution formed is saturated or unsaturated.

[2]

(iii) Calculate the mass of solid that will crystallise when a saturated solution containing 40 g of water at 70 °C is cooled to 20 °C.

mass of solid = _____ g [4]

[Turn over



(c) Sea water contains dissolved magnesium ions and chloride ions.

Describe chemical tests that could be carried out on a sample of sea water to confirm the presence of magnesium ions and of chloride ions.

Your answer should include:

- the reagents used in each test
 - the results for a positive test
 - ionic equations for any reactions which occur.

In this question you will be assessed on your written communication skills including the use of specialist scientific terms.

10



- 5** Silica gel is a desiccant which is often found in small packets in boxes of shoes and optical equipment.



A small quantity of anhydrous cobalt(II) chloride, CoCl_2 , may be added to the silica gel. A colour change from blue to pink is observed as the silica gel absorbs water. The pink colour indicates that the silica gel is no longer effective.

- (a) (i)** Suggest what is meant by the term desiccant.

[1]

- (ii)** Name another compound which could be used in place of anhydrous cobalt(II) chloride.

[1]

[Turn over



- (b)** A solution containing 0.15 moles of cobalt(II) chloride is mixed with another solution containing 0.26 moles of potassium hydroxide. A precipitate of cobalt(II) hydroxide forms. The equation for the reaction is:



- (i)** How many moles of potassium hydroxide are required to react with 0.15 moles of cobalt(II) chloride?

[1]

- (ii)** Which reactant is the limiting reactant?

[1]

- (iii)** How many moles of cobalt(II) hydroxide are formed?

[1]

- (iv)** Calculate the mass of cobalt(II) hydroxide formed. Give your answer to 1 decimal place.

mass of cobalt(II) hydroxide = _____ g [2]



(c) A 3.57 g sample of hydrated cobalt(II) chloride crystals, $\text{CoCl}_2 \cdot x\text{H}_2\text{O}$, was heated to constant mass. 1.95 g of solid remained after heating.

(i) Calculate the number of moles of water lost.

$$\text{moles of water} = \underline{\hspace{2cm}} [2]$$

(ii) Calculate the number of moles of anhydrous cobalt(II) chloride remaining after heating to constant mass.

$$\text{moles of anhydrous cobalt(II) chloride} = \underline{\hspace{2cm}} [1]$$

(iii) Calculate the value of x in $\text{CoCl}_2 \cdot x\text{H}_2\text{O}$.

$$x = \underline{\hspace{2cm}} [1]$$

[Turn over



- (d) Cobalt(II) oxide reacts with oxygen at 700 °C to form Co_3O_4 as shown in the equation below.



Calculate the mass of Co_3O_4 , in kg, formed from the reaction of 945 g of cobalt(II) oxide with excess oxygen. Give your answer to 2 decimal places.

mass of Co_3O_4 = _____ kg [4]

THIS IS THE END OF THE QUESTION PAPER



BLANK PAGE

DO NOT WRITE ON THIS PAGE

13959



20GCM1219

Source:

Q5.....© Getty Images

DO NOT WRITE ON THIS PAGE

For Examiner's use only	
Question Number	Marks
1	
2	
3	
4	
5	

Total Marks	

Examiner Number

Permission to reproduce all copyright material has been applied for.
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA
will be happy to rectify any omissions of acknowledgement in future if notified.

GCM12/5
288293



20GCM1220

SYMBOLS OF SELECTED IONS

Positive ions

Name	Symbol
Ammonium	NH_4^+
Chromium(III)	Cr^{3+}
Copper(II)	Cu^{2+}
Iron(II)	Fe^{2+}
Iron(III)	Fe^{3+}
Lead(II)	Pb^{2+}
Silver	Ag^+
Zinc	Zn^{2+}

Negative ions

Name	Symbol
Butanoate	$\text{C}_3\text{H}_7\text{COO}^-$
Carbonate	CO_3^{2-}
Dichromate	$\text{Cr}_2\text{O}_7^{2-}$
Ethanoate	CH_3COO^-
Hydrogencarbonate	HCO_3^-
Hydroxide	OH^-
Methanoate	HCOO^-
Nitrate	NO_3^-
Propanoate	$\text{C}_2\text{H}_5\text{COO}^-$
Sulfate	SO_4^{2-}
Sulfite	SO_3^{2-}

SOLUBILITY IN COLD WATER OF COMMON SALTS, HYDROXIDES AND OXIDES

Soluble

All sodium, potassium and ammonium salts

All nitrates

Most chlorides, bromides and iodides

EXCEPT silver and lead chlorides, bromides and iodides

Most sulfates EXCEPT lead and barium sulfates

Calcium sulfate is slightly soluble

Insoluble

Most carbonates

EXCEPT sodium, potassium and ammonium carbonates

Most hydroxides

EXCEPT sodium, potassium and ammonium hydroxides

Most oxides

EXCEPT sodium, potassium and calcium oxides which react with water

Data Leaflet

Including the Periodic Table of the Elements

For the use of candidates taking
 Science: Chemistry,
 Science: Double Award
 or Science: Single Award

Copies must be free from notes or additions of any kind. No other type of data booklet or information sheet is authorised for use in the examinations

gcse examinations

chemistry

THE PERIODIC TABLE OF ELEMENTS

Group

* 58 – 71 Lanthanum series
† 90 – 103 Actinium series

a = relative atomic mass
(approx)

a = relative atomic mass
(approx)
X = atomic symbol
b = atomic number

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	145 Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	231 Pa Protactinium 91	238 U Uranium 92	237 Np Neptunium 93	242 Pu Plutonium 94	243 Am Americium 95	247 Cm Curium 96	245 Bk Berkelium 97	251 Cf Californium 98	254 Es Einsteinium 99	253 Fm Fermium 100	256 Md Mendelevium 101	254 No Nobelium 102	257 Lr Lawrencium 103